



STEPUP

MC Transformer



Made in USA

Copyrights & Trademarks

© Copyright Hagerman Audio Labs 2008. All rights reserved. No part of this document may be photocopied, reproduced, or translated to another language without the prior written consent.

Disclaimer

The information contained in this document is subject to change without notice. Hagerman Audio Labs shall not be liable for errors contained herein or for consequential damages in connection with the furnishing, performance, or use of this material.

Warranty

Hagerman Audio Labs warrants this product free of defects in materials and workmanship for a period of 10 years. If you discover a defect, Hagerman Audio Labs will, at its option, repair or replace the product at no charge to you provided you return it during the warranty period, transportation charges prepaid to Hagerman Audio Labs. This warranty does not apply if the product has been damaged by negligence, accident, abuse or misuse or misapplication, has been damaged because it has been improperly connected to other equipment or has been modified without the express written permission of Hagerman Audio Labs. This warranty is limited to the replacement or repair of this product and not to damage to equipment of other manufacturers. Any applicable implied warranties, including warranty of merchantability, are limited in duration to a period of the express warranty as provided herein beginning with the original date of purchase and no warranties, whether express or implied shall apply to the product thereafter. Under no circumstances shall Hagerman Audio Labs be liable for any loss, direct, indirect, incidental, special, or consequential damage arising out of or in connection with the use of this product.

Hagerman Audio Labs

PO Box 26437

Honolulu, HI 96825

808-383-2704 (voice)

808-394-6076 (fax)

www.haglabs.com

Description

The StepUp is an MC transformer designed to increase the signal voltage delivered from the phono cartridge. Both loading and gain are adjustable, providing more user flexibility than other transformers.

Package Contents

- StepUp

Specifications

Item	Specification
Gain	16, 22, 27 dB
Input Impedance	21 to 47k ohm in 12 steps
Bandwidth	10Hz to 25kHz
Size	3" x 5" x 2"

Operation

The StepUp installs between your MC cartridge and your MM phonostage. Be sure to connect turntable ground!

GAIN is in three steps, low, medium, and high. Transformer loading is preset for optimized transient response at each GAIN setting. This is with LOADING set to maximum (large dot). The loading as seen by the cartridge can be lowered further using the LOADING control. Adjust by ear for best sonic performance. The following table gives the resistive loadings for the various setting combinations.

	•	•	•
●	363	131	44
•	189	98	40
•	97	66	33
•	35	30	21

